



Official Technical Rider  
September 2019

+49 17647050780  
mail@wanubale.com

## Introduction

This rider (6 pages) is part of the terms of contract with the band „Wanubalé“. Any modifications need to be accepted by the responsible contact persons in written form.

It is absolutely necessary that the FoH Engineer and the contact person gets a complete list of the provided sound equipment including stage dimensions in advance of the concert (at least 4 weeks in advance).

The PA and lighting system has to be set up completely (and in full working order) at the designated time. Wanubalés crew need one sound-technician assistant (FOH) and one sound-technician (Monitor/Stage) well skilled with the local PA system in addition to.

For easy communication it is essential that all technicians/engineers speak fluently english or german and are familiar with english/german technical terms.

## Contact

### Sound Engineer

Fabian Peter

mobile: +49 177 5441352

mail: [fabian.peter@hotmail.de](mailto:fabian.peter@hotmail.de)

### Management Band

Philip: +49 173 4407781

Moritz: +49 176 47050780

mail: [mail@wanubale.com](mailto:mail@wanubale.com)

### Booking Agency

bureau45 booking

Email: [frank@bureau45.com](mailto:frank@bureau45.com)

## Technical Requirements

### PA

- Professional 3- or 4-way active system (e.g.: d&b, L-Acoustics, Meyer, Martin Audio, EAW, Adamson, Clair Bros, Kling & Freitag, JBL, Outline). Including adequate and powerful amping. 115 dB (A) at FOH without distortion.
- No ZECK, PEAVEY, selfmade or homegrown-PAs ! The sublow part of the PA has to be dimensioned adequately and controlled in system L/R or matrix (post L/R Insert )
- The bottom edge of the lowmid systems shall not be lower than 1.70 m. The PA has to be flown if possible.


### SPL

- Any SPL limits must be communicated before show

### FOH

- Desk: Midas M32, Soundcraft VI or comparable digital consoles like Yamaha CL series, Digico SD7, SD8, SD9, Digidesign D-Show, Profile, SC48, S6L, S3L, Midas Pro 6, Pro2
- (no 02r, 03d, 01v, ls9, iLive !!!!!)

# Stageplot



<b>Channel</b>	<b>Instrument</b>	<b>Amplification</b>	<b>Stand</b>
1	BD	Audix D6, Beta 91 or comparable	small
2	SD Top	Beyerdynamic M201, Shure SM57 or comparable	small
3	SD Bottom	Shure SM 57, Sennheiser E 904 or comparable	small/clipped
4	HH	Neumann KM 184 or comparable	small
5	Rack Tom	Sennheiser E 904 or comparable	clipped
6	Stand Tom	Sennheiser MD421 or comparable	clipped
7	OH L	Neumann KM 184 or comparable	tall
8	OH R	Neumann KM 184 or comparable	tall
9	SPDS-X (Drumpad)	DI Box	D.I.
10	BD	Audix D6, Beta 91 or comparable	small
11	SD Top	Beyerdynamic M201, Shure SM57 or comparable	small
12	SD Bottom	Shure SM 57, Sennheiser E 904 or comparable	small/clipped
13	HH	Neumann KM 184 or comparable	small
14	Piccolo Snare	Sennheiser E 904 or comparable	clipped
15	Low Snare	Sennheiser MD421 or comparable	small
16	OH L	Neumann KM 184 or comparable	tall
17	OH R	Neumann KM 184 or comparable	tall
18	Stage Piano L	Active DI Box	D.I.
19	Stage Piano R	Active DI Box	D.I.
20	King Korg L (synth)	DI Box	D.I.
21	King Korg R (synth)	DI Box	D.I.
22	Git Mic	Sennheiser E 906 or comparable	small
23	Git DI	DI Box	D.I.
24	Bass Mic	Shure Beta52 or EV RE20	small
25	Bass DI	DI Box	D.I.
26	Trumpet	We bring Mic	clip
27	Trumpet FX	SM57, Beta57 or comparable + Active D.I. Box	tall
28	Tenor Sax	We bring Mic	clip
29	Flute	Sm57 or comparable	tall
30	Trombone	We bring Mic	clip
31	Bariton Sax	We bring Mic	clip
32	Announcement Mic	Shure SM 58 or comparable	tall

## Monitor/Mix Wedges

Mix	Instrument	Name	Wedges
1	Keys	Moses	1
2	Git.	Max	1
3	Bass	Moritz	1
4	Brass 1 (Trp)	Gabriel	1
5	Brass 2 (Ten. Sax)	Niko	1
6	Brass 3 (Trb + BS)	Jonathan, Anton	2
7	Drums 1 (L/Mono)	Philip	Mono In Ear (we need XLR on Stage)
8	Drums 2 (L/Mono)	Heinrich	Mono In Ear (we need XLR on Stage)
(9)	Drums 1 (R)	Philip	optional
(10)	Drums 2 (R)	Heinrich	optional

Drummers only use In-Ear monitoring if digital desk is available. If an analog desk is used, please provide Wedges for Drums.

Please provide 10 monitor paths if possible. (→ Stereo IEM's for drummers, patched 7/8 Stereo L/R Drummer 1; 9/10 Stereo L/R Drummer 2)

## Other

12 x Stand tall; 11 x Stand small

01 x Brassriser 4,00 x 1,50 x 0,60 meter (with black skirting!!)

02 x Drumriser 2,00 x 2,00x 0,20 meter (with black skirting!!)